

Amendments to the Drawings:

Attached hereto in **Appendix A** are three pages, each marked "Replacement Sheet." The designation of "replacement sheet" indicates that changes were made to the sheet as compared to the formal drawings previously on file in the application. The following changes were made:

For FIG. 1, Applicants have removed reference numeral 146 and the associated lead line.

For FIGs. 2a and 2b, Applicants have removed reference numerals 246 and the associated lead lines.

For FIG. 3a, Applicants have replaced reference numeral 346 with reference numeral 338a.

For FIG. 3b, Applicants have replaced reference numeral 338 with reference numeral 338b.

For FIG. 3c, Applicants have replaced reference numeral 338 with reference numeral 338c.

For FIG. 3d, Applicants have replaced reference numeral 338 with reference numeral 338d.

No new matter has been added.


REMARKS/ARGUMENTS

Applicant gratefully acknowledges the Examiner's indication that the application is in condition for allowance except for several formal matters, which have been attended to in this amendment as follows. Claim 11 has been amended and corresponding amendments have been made to the specification and the drawings, as suggested by the Examiner. Claim 12 has also been amended as suggested by the Examiner. No new matter has been added. Entry of this Amendment is respectfully requested.

Conclusion

Inasmuch as Applicant has complied with all the changes suggested by the Examiner, and whereas prosecution on the merits is closed in accordance with practice under *Ex-parte Quayle*, 1935 C.D. 11, 453 O.G. 213, Applicant believes the application should be passed to issue. The Commissioner is hereby authorized to charge any additional fees which may be required under 37 C.F.R. 1.17, or credit any overpayment, to Deposit Account No. 01-2525.

Respectfully submitted,


James F. Crittenden
Registration No. 39,560
Agent for Applicant

Medtronic Vascular, Inc.
3576 Unocal Place
Santa Rosa, CA 95403
Facsimile No.: (707) 543-5420